PC PORTABLE

PRODUCT FACT SHEET





PC PORTABLE


DESIGN BY PIERRE CHARPIN, 2018

Pierre Charpin's PC Portable Lamp is a refined and portable freestanding lamp for indoor and outdoor use. Constructed in robust plastic and featuring a matte scratch- and water- resistant finish, its battery-powered design gives the freedom and flexibility to move it anywhere. The light source is hidden from view by a polycarbonate diffuser, available with both downlight and ambient output options, depending on the desired use. The PC Portable Lamps are available in several mono-colour designs or a selection of playful colour combinations, making them ideal for table lighting in numerous domestic environments, as well as at cafés, restaurants and other public areas.

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- · A compact, portable and robust LED-based lamp that can be used freestanding in a number of different environments and applications.
- ·CE and ETL approved for both EU and US markets.
- \cdot Includes replaceable LED light source ensuring a life span of at least 25,000 hours of use.
- ·Integrated touch step dimmer switch with three standard settings on the base of the lamp.
- · Minimum 10 hours of use before the battery requires recharging via USB-C.
- · Qualified for contract use.
- · 3,5 hours charging time.
- · IP44 outdoor rated.
- · Suitable for both indoor and outdoor environments.

DIMENSIONS



WIDTH 14 CM DEPTH 14 CM HEIGHT 22 CM

MATERIALS

LAMP BASE
Injection moulded ABS, with a translucent PP diffuser.

LAMP SHADE

Injection moulded opaque ABS for Soft black and Olive lamp, translucent PP for Cream white.

CORD

Charging connection.

BASE INSERT

Injection moulded ABS.

COLOUR & FINISH

Please note that the colour codes are indicative.

	SHADE	SOFT BLACK	OLIVE	TRANSLUCENT	AUBERGINE	COOL GREY	
BASE & TOP CAP							
SOFT BLACK		•					
OLIVE			•				
CREAM WHITE				•			
COOL GREY						•	
OCEAN GREEN				•			
SKY BLUE				•			
DUSTY RED					•		
SOFT YELLOW				•			

TECHNICAL SPECIFICATIONS

LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	SWITCH
LED G4, 3,5W, 220lm, 3000K warm	Yes	220-240V AC at 50-60Hz	44	Touch step dimmer.
white		USB-C		(Integrated in the base insert)

^{*}Bulb included in the packaging. For replacements of LED bulbs, please contact HAY or an authorised dealer.

TEST SPECIFICATION OUTPUTS*

OPAQUE SHADE

 FLUX (LUMENS)
 CCT (KELVIN)
 CRI (1-100)

 85lm
 2900K, warm white
 75


TRANSCULENT SHADE

 LUX (LUMENS)
 CCT (KELVIN)
 CRI (1-100)


 155Im
 2900K, warm white
 75

PHOTOMETRICS

Opaque shade



Translucent shade



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.















Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- · EN 55015:2013 (radio disturbance)
- · EN 61547:2009 (EMC immunity)
- · EN 61000-3-2:2014 (EMC compatibility)
- · EN 61000-3-3:2013 (EMC compatibility)
- ·EN 60598-2-4:2017 (portable luminaires)
- ·EN 60598-1:2014+A1:2017 (general requirements)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

LINK TO DIGITAL LIBRARY

^{*}Photometrics and the test specification shown is taken using the included LED bulb fitted in the production luminaire.